

ADVANCED SUBSIDIARY (AS) General Certificate of Education 2016

Centre Number					
	0	-1: -1 - 4	- N		
	Can	didat	e nu	mber	

Chemistry

Assessment Unit AS 3

assessing

Module 3: Practical Examination

Practical Booklet B



[AC134]

AC134

WEDNESDAY 8 JUNE, AFTERNOON

TIME

1 hour 15 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this

You must answer the questions in the spaces provided.

Do not write outside the boxed area on each page or on blank pages.

Complete in blue or black ink only. Do not write with a gel pen.

Answer all five questions.

INFORMATION FOR CANDIDATES

The total mark for this paper is 66.

Section A

Question 1 is worth 15 marks. Question 2 is worth 15 marks.

Section B

Question 3 is a planning exercise worth 20 marks.

Questions 4 and 5 are written questions worth a total of 16 marks, testing aspects of experimental chemistry.

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

A Periodic Table of Elements (including some data) is provided. 10117



Section A

1 (a) A 1.00 g sample of a fertiliser containing ammonium sulfate was heated with $100\,\mathrm{cm^3}$ of 0.10 mol dm $^{-3}$ sodium hydroxide which was in excess.

$$(NH_4)_2SO_4 + 2NaOH \rightarrow 2NH_3 + Na_2SO_4 + 2H_2O$$

Heating was continued until all the ammonia had been driven off. The remaining solution was made up to $250\,\mathrm{cm}^3$ in a volumetric flask and labelled solution **A**.

 $25.0\,\mathrm{cm^3}$ of solution **A** was then titrated against $0.040\,\mathrm{mol}$ dm⁻³ hydrochloric acid and the titre was found to be $23.5\,\mathrm{cm^3}$.

(i)	Assuming all the apparatus is clean and dry suggest two ways in which the
	accuracy of the titration can be increased.

_			
			[2]

(ii)	Suggest two	ways in which	n the reliability	of the titration	can be increased.
. ,	-	•	-		

[2]

(iii) Write an equation for the reaction of hydrochloric acid with hydroxide.	ith sodium
---	------------

______[1]



	the following steps to calculate the percentage composition by mass of nonium sulfate in the sample of fertiliser.
(i)	Calculate the number of moles of hydrochloric acid which reacted with 25.0 cm ³ of solution A .
(ii)	Calculate the number of moles of sodium hydroxide in 25.0 cm ³ of solution A .
(iii)	Calculate the number of moles of sodium hydroxide in 250 cm ³ of solution A .
(iv)	Calculate the number of moles in 100 cm ³ of the 0.10 mol dm ⁻³ sodium hydroxide solution.
(v)	Calculate the number of moles of sodium hydroxide which reacted with the ammonium sulfate in the fertiliser.
(vi)	Calculate the number of moles of ammonium sulfate in the sample of the fertiliser.
(vii)	Calculate the mass of ammonium sulfate in the sample of the fertiliser.

[Turn over



10117

Œ

Reserving L

Reserving L

GG Rewirding L

Reserving Learning

Reserving Learning

Reserving Learning

Learning

Reserving Learning

Reserving Learning

Paga Lawring

Reserving

Lawring

Reserving

Reserving

Lawring

Lawring

Lawring

Rowarding L

Reserving L

Rewarding L Rewarding L D Learning

Reserving 1

Company 1

Reserving 1

Company 1

Reserving 1

Company 1

Reserving 1



(c) Using the equation provided in part (a) calculate the volume of ammonia produced at 20 °C and 1 atmosphere pressure, when 2.64 g of ammonium sulfate reacts with excess sodium hydroxide solution.		(viii) Calculate the percentage by mass of ammonium sulfate in the fertiliser	r.
	(c)	produced at 20 °C and 1 atmosphere pressure, when 2.64 g of ammonium	

Reserved of States of Stat

Rewirds

Roundo,
Roundo,
Roundo,
Roundo,

Research

Deligation of the second of the se

Rosertin

Paring

Reserving

Reserving

Quarting

Quarting

Quarting

Quarting

Quarting

Remarks

Remarks

Remarks

Remarks

Remorted

Remorted

Remorted

Remorted

Carlo

Rewards

Rewards

Rewards

Rewards

Rewards

Rewards

Rewards

Rewards

DE Learning

Remardin

Selection of the selection of the

0



- 2 (a) Compound Y is an ionic salt. The following tests were carried out on Y and the observations noted in the table.
 - (i) Complete the table by recording the deductions made from these observations.

	Test	Observations	Deductions
1	Add a spatula measure of Y to a test tube one third full of sodium hydroxide solution and warm gently. Carefully smell any gas given off and test it with moist Universal Indicator paper.	Pungent/ choking smell Universal Indicator turns blue	
	indicator paper.		[2]
2	Add a spatula measure of Y to a test tube containing 1 cm ³ of dilute nitric acid.	No effervescence	
	Add 4 drops of barium chloride solution.	White precipitate forms	
			[2]
3	Make a solution of Y by dissolving a spatula measure of Y in a test tube half-full of water.		
	Add 3 drops of sodium hydroxide solution to the test tube. Then add a further	Brown precipitate	
	2 cm ³ of the sodium hydroxide solution to this test tube.	Precipitate does not dissolve	[1]

(ii) Give the formulae of the three ions p	present in Y .
--	-----------------------

___ [3]

[Turn over

10117

Reserving 1.

Reserving 1

Part and 1

Reserving 1

Reserv



(b) Compound Z is an organic liquid. The following tests were carried out on Z and the observations noted in the table.)

DE 19 Learning GC

)

)

0

Ð

)

)

)

)

Da ig Learning Ga

)

)

)

)

Rowards

Page 1. Serving

Rowards

Page 2. Serving

Carried Carrie

)

0

(i) Complete the table by recording the deductions made from these observations.

	Test	Observations	Deductions
1	Place 10 drops of Z on a watch glass placed on a heatproof mat. Ignite it using a burning splint.	Burns with a non-smoky flame	[1]
2	Place 1 cm ³ of Z in a test tube and add 1 cm ³ of water. Add a bung and shake the test tube.	One layer forms	[1]
3	Place 1 cm ³ of Z in a test tube. Add 2 cm ³ of acidified potassium dichromate solution. Warm the mixture gently and leave to stand for 5 minutes.	Orange solution turns green	[1]
4	Add 4 cm ³ of Z to half a spatula of iodine in a test tube. Add 4 cm ³ of 10% aqueous sodium hydroxide. Shake the test tube vigorously.	Yellow precipitate forms Antiseptic smell	[1]



	(ii)	The organic liquid Z has a RMM of 60 . Draw a possible structure for showing all the bonds present.	Z
			[2]
	(iii)	Name compound Z .	[1]
10117		[Turn over

CG Revierding L DD 3 Learning

Rewarding L Rewarding L D Learning

Reserving L

Reserving L

Rewarding L D Rewarding L D

GG Rewirding L

Reserving Learning

Reserving Learning

Reserving Learning

Learning

Reserving Learning

Reserving Learning

i Learning

GG

Reverding I.

GG

Reverding I.

GG

Reverding I.

GG

Reverding I.

Rewarding L D Rewarding L D S Learning

Reserving L

Rewarding L Rewarding L D Learning

Rewarding L.

) PD



Section B

)

)

)

3 Planning

Ethanoic acid can be prepared in the laboratory by the following method.

Place 50 cm³ of water in a round-bottomed flask with some anti-bump granules. Carefully add concentrated sulfuric acid to the flask with swirling and cooling. Add 50 cm³ of potassium dichromate solution. Slowly add a mixture of 15 cm³ of ethanol in 50 cm³ of water, shake the flask and cool if a vigorous reaction occurs. Heat the solution under reflux for twenty minutes. Allow the flask to cool.

Rearrange the apparatus and collect the product by distillation.

(a)	(i)	State the purpose of anti-bump granules.	[1]
	(ii)	Suggest why the flask is cooled when concentrated sulfuric acid is added.	[1]
	(iii)	State the function of the acidified potassium dichromate solution.	[1]
	(iv)	What is meant by the term reflux ?	
			[1]
	(v)	Name a suitable drying agent for the distillate and suggest how it may be removed.	
			[2]



	expected.		
			T.4
	-		[4
/ii\	Suggest two reasons	why the yield is less than 100%.	
(11)	ouggest two reasons	with the yield is less than 100%.	
			[2
			[2
(iii)		st how you could use infrared spec	
(iii)	that no ethanol was pr	esent in the product from the reac	ctroscopy to show
(iii)	that no ethanol was pr	wave number (cm ⁻¹)	ctroscopy to show
(iii)	that no ethanol was pr	wave number (cm ⁻¹) 2850–3300	ctroscopy to show
(iii)	bond C—H C=O	wave number (cm ⁻¹) 2850–3300 1680–1750	ctroscopy to show
(iii)	that no ethanol was pr	wave number (cm ⁻¹) 2850–3300	ctroscopy to show

GG Remarking L

Reserving L

GG Rewirding L

Paga Lawring

Reserving

Lawring

Reserving

Reserving

Lawring

Lawring

Lawring

Rowarding L

Rewording L

Rewarding L Rewarding L D Learning

Reserving 1

Company 1

Reserving 1

Company 1

Reserving 1

Company 1

Reserving 1

10117

[Turn over



_	
)117	
	[3]
(d)	Suggest why the boiling point of ethanal is lower than that of ethanol.
	[4]
	and collect ethanal from ethanol.
	Draw a labelled diagram to show the apparatus which could be used to prepare
(c)	Ethanal can also be prepared from the reaction of ethanol with acidified potassium dichromate.

Reserved of States of Stat

Roserdon

Para

Para

Rewards

To Learning

Research Spanish

Research,
Resear

Research

Research

Research

Research

Research

Carlo

Remode,

Rewarding

13 Learning

Rewardin

Towarding
To Learning
Revending

DE Learning

Remardin

Selection of the selection of the



(a)	Write an equation for this reversible reaction.		[2]
(b)	(i)	Explain how the use of excess ethanol increases the yield of ethyl ethanoate.	(-)
			[1]
	(ii)	Explain how the use of concentrated sulfuric acid increases the yield of ethanoate.	ethyl
			_ [1]
	(i)	Calculate the number of moles of ethanoic acid used.	
(c)	(1)		
(c)	(•)		[1]
(c)		Calculate the theoretical yield in grams of ethyl ethanoate.	[1]
(c)			[1]
(c)	(ii)		



CG Revierding L DD 3 Learning

Rewing

Rewinding L

D

Steering

Remoral Laboring

Laboring

Remoral Laboring

Remoral Laboring

Remoral Laboring

Remoral Laboring

Remoral Laboring

GG Rewarding L

Rewarding L

Revisiding L

Rowarding L

GG Rewarding L

Remond L

CG Rewirding L

Paga Lawring

Reserving

Lawring

Reserving

Reserving

Lawring

Lawring

Lawring

GG Rewarding L

Reserving L

Rewarding L Rewarding L D Learning

Rewarding L.

) PD



(a)	When heated, potassium aluminium sulfate forms an anhydrous "double salt' How could you ensure that all the water had been removed?	
		_
(b)	Describe how you could determine the enthalpy change when 5.0 g of potass aluminium sulfate are dissolved in 100 cm ³ of water at room temperature.	siu
		_
(c)	Describe a test, including expected observations, which would show the presence of aluminium ions in potassium aluminium sulfate solution.	

Towards

Research

Party Learning

To Learning

Rewards

Remarks

To an article of the control of the contro

Remercial
Remercial
Remercial
Remercial
Remercial
Remercial

Rowards

Rowards

Rowards

Rowards


Rowards

20

Rewards

G:





CGG
Reworder 1





Teaming

Ci Reminden DD

Rewards

Pag Learning

Rewards

Rewards

)

G:


) 0 93) 0 DED TO LEASTING G.) G.) 0) 0) G.) 0 DED TO LEASTING G. DED

Reserved on State of State of

Day Learning
Research

0





Rewording I.

Re



DO NOT WRITE ON THIS PAGE

For Examiner's use only			
Question Number	Examiner Mark	Remark	
1			
2			
3			
4			
5			

93)

DE STATE OF THE ST

DE) 19 Learning GC

)

Ð

Par Learning

Rewards

Par D

)

Day of Learning

g Learning

Rossardin

20

)

)

)

G3 Revision PD

P

0

0

G.

Total	
Marks	

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.

